

EU safety data sheet

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Paint Marker ink silver

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

writing and marking

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

ICO ZRt. H-2013 Pomáz,
ICO út 5. Tel.: +36 26 527 200
Email: post@ico.eu

1.4 Emergency telephone number

EGÉSZSÉGÜGYI TOXIKOLÓGIAI TÁJÉKOZTATÓ SZOLGÁLAT

Cím: 1097 Budapest, Albert Flórián út 2-6.

Sürgősségi információszolgáltatás mérgezés vagy annak gyanúja esetén:

+36 80 201 199 (0-24 órában, díjmentesen hívható – csak Magyarországról)

+36 1 476 6464 (0-24 órában, normál díj ellenében hívható – külföldről is)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3; H226

STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02



GHS07

Signal word

EU safety data sheet

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

Warning

Hazardous component(s) to be indicated on label:

1-methoxy-2-propanol

Hazard statement(s)

H226

Flammable liquid and vapour.

H336

May cause drowsiness or dizziness.

Hazard statements (EU)

EUH205

Contains epoxy constituents. May produce an allergic reaction.

Precautionary statement(s)

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P370+P378

In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Mixture based on: alcohols; Resins; Pigments; dyes

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
1	1-methoxy-2-propanol		%
	107-98-2 203-539-1 603-064-00-3 -	Flam. Liq. 3; H226 STOT SE 3; H336	>= 60.00 - < 80.00 wt%
2	aluminium powder (stabilised)		
	7429-90-5 231-072-3 013-002-00-1 01-2119529243-45	Flam. Sol. 1; H228	>= 10.00 - < 20.00 wt%
3	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane		
	2530-83-8 219-784-2 - -	Eye Dam. 1; H318	< 2.50 wt%
4	2-methoxypropanol		
	1589-47-5 216-455-5 603-106-00-0 -	Eye Dam. 1; H318 Flam. Liq. 3; H226 Repr. 1B; H360D*** Skin Irrit. 2; H315 STOT SE 3; H335	< 0.30 wt%

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

(* **, ***, ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	T	-	-	-

EU safety data sheet

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse the mouth thoroughly with water. Call a doctor. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder; Foam; Carbon dioxide; Water mist

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide, carbon dioxide and smoke.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not inhale vapours. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

EU safety data sheet

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn.

General protective and hygiene measures

Keep away from foodstuffs and beverages. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Remove soiled or soaked clothing immediately. Wash soiled clothing. Do not inhale vapours. Avoid contact with eyes and skin. Provide eye wash fountain in work area. Have emergency shower available. Use barrier skin cream.

Advice on protection against fire and explosion

Keep away from sources of ignition - refrain from smoking. Vapours can form an explosive mixture with air. Take precautionary measures against static charges.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect of heat.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Do not store together with: oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	1-methoxy-2-propanol	107-98-2	203-539-1
	2000/39/EC		
	1-Methoxypropanol-2		
	WEL short-term (15 min reference period)	568	mg/m ³ 150 ppm
	WEL long-term (8-hr TWA reference period)	375	mg/m ³ 100 ppm
	Skin resorption / sensibilisation	Skin	
	List of approved workplace exposure limits (WELs) / EH40		
	1-Methoxypropan-2-ol		
	WEL short-term (15 min reference period)	560	mg/m ³ 150 ppm
	WEL long-term (8-hr TWA reference period)	375	mg/m ³ 100 ppm
	Comments	Sk	
2	aluminium powder (stabilised)	7429-90-5	231-072-3
	List of approved workplace exposure limits (WELs) / EH40		
	Aluminium metal		
	total inhalable dust		
	WEL long-term (8-hr TWA reference period)	10	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Aluminium metal		
	respirable dust		
	WEL long-term (8-hr TWA reference period)	4	mg/m ³

EU safety data sheet

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

DNEL, DMEL and PNEC values

DNEL values (worker)

DREZ values (worker)					
No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	aluminium powder (stabilised)			7429-90-5 231-072-3	
	inhalative	Long term (chronic)	local	3.72	mg/m³

DNEL value (consumer)

CAMEL value (consumer)				
No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	aluminium powder (stabilised)			7429-90-5 231-072-3
	oral	Long term (chronic)	systemic	3.95 mg/kg/day

PNEC values

PNEC values			
No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	aluminium powder (stabilised)		7429-90-5 231-072-3
	water	fresh water	74.9 µg/L
	sewage treatment plant	-	20 mg/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas) : A

Eye / face protection

Safety glasses (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness 0.5 mm

Breakthrough time > 8 h

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation
liquid
Form
liquid

EU safety data sheet

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

Colour			
silver coloured			
Odour			
ethereal			
pH value			
Not applicable			
Boiling point / boiling range			
Value	appr.	120	°C
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Value		31	°C
Method	DIN EN 456		
Ignition temperature			
Value	>	250	°C
Source	Literature value		
Flammability			
No data available			
Lower explosion limit			
Value		1.7	% vol
Upper explosion limit			
Value		11.5	% vol
Source	Literature value		
Vapour pressure			
Value		12	mbar
Reference temperature		20	°C
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
Value	appr.	1.0	g/cm³
Reference temperature		20	°C
Solubility in water			
Comments	partially miscible		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No data available			
Kinematic viscosity			
Value	appr.	30	sec
Type	Efflux time		
Method	DIN cup 3 mm		
Solvent content			
Value	<	82	%

EU safety data sheet

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

None, when used as directed.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No	Substance name	CAS no.	EC no.
1	aluminium powder (stabilised)	7429-90-5	231-072-3
LC50		0.888	mg/l
Duration of exposure		4	h
State of aggregation	Dust		
Species	rat		
Source	ECHA		

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

EU safety data sheet

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

STOT - single exposure
No data available

STOT - repeated exposure
No data available

Aspiration hazard
No data available

Endocrine disrupting properties
No data available

Symptoms related to the physical, chemical and toxicological characteristics
The product can cause skin and eye irritation.

11.2 Information on other hazards

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available

Toxicity to fish (chronic)
No data available

Toxicity to Daphnia (acute)
No data available

Toxicity to Daphnia (chronic)
No data available

Toxicity to algae (acute)
No data available

Toxicity to algae (chronic)
No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

EU safety data sheet

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Smaller quantities can be disposed with household garbage.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN	UN1263
IMDG	UN1263
ICAO-TI / IATA	UN1263

14.2 UN proper shipping name

ADR/RID/ADN	PAINT
IMDG	PAINT
ICAO-TI / IATA	Paint

14.3 Transport hazard class(es)

ADR/RID/ADN - Class	3
Label	3
Classification code	F1
Tunnel restriction code	D/E
Hazard identification no.	30
IMDG - Class	3
Label	3
ICAO-TI / IATA - Class	3
Label	3

14.4 Packing group

ADR/RID/ADN	III
IMDG	III
ICAO-TI / IATA	III

14.5 Environmental hazards

EmS	F-E, S-E
-----	----------

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

EU safety data sheet

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40, 75

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2-methoxypropanol	1589-47-5	216-455-5	30

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category: P5c

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)

VOC content < 82 %

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Further information

Use restriction recommended by the manufacturer:

In large drums ink is for professional use only.

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H228	Flammable solid.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

T This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.

Trade name: Paint Marker ink silver

Current version : 4.0.1, issued: 01.04.2025

Replaced version: 4.0.0, issued: 01.04.2025

Region: GB

This information is based on our present knowledge and experience.
The safety data sheet describes products with a view to safety requirements.
It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.